

Missouri, 2006

Primary and secondary syphilis

- **CASES:** Missouri reported 168 cases in 2006.
- **RATES:** Missouri ranked 17 among 50 states, DC, and 3 territories with 2.9 cases per 100,000 population compared to the total rate of 3.3 cases per 100,000 population.

Rates of primary and secondary syphilis, by sex

- In Missouri, the rate among males was 5.3 per 100,000 population compared to the total male rate of 5.7 per 100,000.
- The rate among females was 0.6 per 100,000 compared to the total female rate of 1.0 per 100,000.

Rates of primary and secondary syphilis, by race/ethnicity


In Missouri, the race/ethnicity adjusted rates per 100,000 population were 1.6 among whites, 12.0 among blacks, 4.5 among Hispanics, 1.2 among Asian/Pacific Islanders, and 0.0 among American Indians/Alaska Natives.

- The rate among blacks was 7.5 times that of whites.
- The rate among Hispanics was 2.8 times that of whites.

Congenital syphilis

- **CASES:** Missouri reported 3 cases in 2006.
- **RATES:** Missouri ranked 20 among 26 states, DC, and 1 territory reporting congenital syphilis cases with a rate of 3.9 cases per 100,000 live births compared to the total rate of 8.7 cases per 100,000.

Syphilis: P&S Rates and Congenital Cases, Missouri, 1997-2006



Total P&S Syphilis Rates by County, Missouri, 2006

